

c/o Plastics Recyclers Europe Avenue de Broqueville 12 1150 Brussels, Brussels Phone: +32 2 786 39 08 info@recyclass.eu www.recyclass.eu

TOPAS Advanced Polymers
RECYCLASS TECHNOLOGY APPROVAL

Brussels, 30 May 2023

## **DISCLAIMER**

RecyClass recognition applies only to TOPAS Advanced Polymers 'TOPAS 8007' technology reported in Annex I. The recyclability assessment therefore does not refer to the testing of a specific packaging using this technology. Any specific packaging using this technology would need to be tested individually to demonstrate that the system of resin, adjuvants, label, closure, and printing conforms to the RecyClass Recyclability Evaluation Protocol for PE films, and that it is sorted in the PE flexible stream at the state-of-art sorting plants in Europe.

Publication of results of testing of this technology MUST clearly include all the conditions listed in the approval letter. Partial reporting of the conditions is forbidden.

Additionally, any change in the formulation of the technology must be communicated to the Technical Committee which will reassess the approval of the technology.

The RecyClass PO films Technical Committee was requested to carry out an assessment of the technology 'TOPAS 8007' by TOPAS Advanced Polymers to verify its impact on the quality of recycled PE flexible packaging.

The technology is a Cyclic Olefin Copolymer (COC) which is a ethylene-norbornene copolymer. A blend made of 80% of PE and 20% of TOPAS 8007 grade was tested. The amount of norbornene monomers represented around 12.5% of the total weight of the blend. No other element or decoration were present for the testing.

According to the results that were obtained from the laboratory test performed by Proplast, carried out as per the Recyclability Evaluation Protocol for PE films, the 'TOPAS 8007' technology is considered to be <u>fully compatible</u> with PE flexibles recycling.

Based on these results, RecyClass acknowledges that TOPAS Advanced Polymers 'TOPAS 8007' technology will have no impact on the current European PE flexibles recycling provided that PE flexible films using this technology are designed only under the following conditions:

- a) The density of the PE film is below 0,97 g/cm<sup>3</sup>;
- b) The TOPAS 8007 COC represents 20% of the total weight of the packaging, or less;
- c) The amount of norbornene monomer represents 12.5% of the total weight of the packaging, or less;

d) Any additional component or features (inks, adhesives,  $\ldots$  ) of the packaging must be compliant

with the corresponding RecyClass Design for Recycling Guidelines.

RecyClass concludes that TOPAS Advanced Polymers 'TOPAS 8007' technology as per current market

conditions and knowledge, is fully compatible with the existing European industrial recycling processes

for PE flexibles. The plastic generated by the recycling process may be used in high quality applications

such as PE blown films up to 25%<sup>1</sup>.

In regard to RecyClass Recyclability Certification, the present full compatibility with PE flexibles

recycling approval delivered to 'TOPAS 8007' technology, means that a package based on PE film

containing the 'TOPAS 8007' technology, as mentioned in the aforementioned conditions, will not be

penalised with a Recyclability Class downgrade. Nevertheless, the amount of recyclable PE will impact

the final Recyclability Class obtained during Recyclability Certification and should be kept above 90%

to maximise chances to get a Recyclability Certificate with a Class A to C<sup>2</sup>. Also, it should be noteworthy

that the presence of additional packaging features could impact the certification process.

Note that, in addition to the 'TOPAS 8007' TOPAS Advanced Polymers developed other grades

containing a lower norbornene content, such as 'TOPAS 9506'. Such grades will also be considered as

fully compatible with the PE flexible recycling stream under the similar conditions aforementioned for

'TOPAS 8007'.

About RecyClass

RecyClass is a non-profit, cross-industry initiative advancing recyclability, bringing transparency to the origin of plastic waste and establishing a harmonized approach toward recycled plastic calculation & traceability in Europe. RecyClass develops Recyclability Evaluation Protocols and scientific testing methods for innovative plastic packaging materials which serve as the base for the Design for Recycling Guidelines and the RecyClass Online Tool. RecyClass established Recyclability Certifications for plastic packaging, Recycling Process Certification and Recycled Plastics Traceability Certification for plastic products.

RecvClass - Plastic Future is Circular

Follow the latest news on RecyClass channels: LinkedIn | Twitter | YouTube

Contact: <u>Jean-Emile.Potaufeux@plasticsrecyclers.eu</u>, <u>www.recyclass.eu</u>

<sup>1</sup> Technology tested according to the RecyClass Recyclability Evaluation Protocol for PE films

<sup>2</sup> RecyClass Recyclability Certification

RecyClass

c/o Plastics Recyclers Europe Avenue de Broqueville 12 1150 Brussels, Brussels Phone: +32 2 786 39 08 info@recyclass.eu www.recyclass.eu



## Annex I



Figure 1 'TOPAS 8007' technology applications by TOPAS Advanced Polymers